Studying the Origin of the Kuroshio with an Array of ADCP-CTD Moorings

Ren-Chieh Lien Applied Physics Laboratory University of Washington 1013 NE 40th Street Seattle, Washington 98105

Phone: (206) 685-1079 fax: (206) 543-6785 email: lien@apl.washington.edu

Award Number: N00014-10-1-0397

LONG-TERM GOALS

Our long-term scientific goals are to understand the dynamics and identify mechanisms of small-scale processes—i.e., internal tides, inertial waves, nonlinear internal waves (NLIWs), and turbulence mixing—in the ocean and their interaction with mesoscale processes such as western boundary currents. We aim to develop improved parameterizations of mixing for ocean models. For this study, our focus is on the origin of the Kuroshio, the interaction among internal tides, internal waves, mesoscale eddies, and the Kuroshio, and the interaction of oceanic processes with the complex topography in Luzon Strait.

OBJECTIVES

The primary objectives of this observational program are to identify the origin of the Kuroshio and to quantify its properties there and as it evolves downstream.

APPROACH

An array of three or four surface moorings will be maintained for about 1 year northeast of the Philippines, where the strong Kuroshio enters Luzon Strait. Each mooring will have an ADCP and a chain of CTD sensors to measure the velocity field, temperature and salinity in the upper 600 m. We propose to service the moorings and conduct a shipboard survey every 6 months. Our long-term velocity, temperature and salinity observations will help identify the origin and properties of the Kuroshio before it enters Luzon Strait. We will compare our observations with glider observations and with downstream mooring observations east of Taiwan to quantify the evolution of the Kuroshio.

WORK COMPLETED

In FY11 we attended one ONR workshop in Taipei, Taiwan, and one video conference workshop among U.S. and Taiwanese principal investigators in April 2011. An integrated observational program has been established. The proposed mooring array is represented in Fig. 1 and the mooring design in Fig. 2. In this plan, arrays of two and three surface moorings and an array of five H-PIES will be deployed in Luzon Strait. These moorings will be maintained for 1 year and serviced every 6 months.

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding an DMB control number.	ion of information. Send comments arters Services, Directorate for Info	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE 30 SEP 2011		2. REPORT TYPE		3. DATES COVE 00-00-2011	ered 1 to 00-00-2011
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Studying the Origin of the Kuroshio with an Array of ADCP-CTD Moorings				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Washington, Applied Physics Laboratory, 1013 NE 40th Street, Seattle, WA, 98105				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAIL Approved for publ	ABILITY STATEMENT ic release; distributi	on unlimited			
13. SUPPLEMENTARY NO	OTES				
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	3	

Report Documentation Page

Form Approved OMB No. 0704-0188 The mooring observations are scheduled to begin in June 2012.




Figure 1. The proposed plan for ADCP-CTD moorings (red bullets) and H-PIES (yellow triangles) deployments for the OKMC experiment. The vectors are the composite shipboard ADCP velocity at 100-m depth. The red line is the proposed Taiwanese mooring line.




Figure 2. Schematic drawing of surface mooring.

IMPACT/APPLICATION

The Kuroshio is well defined north of the Luzon Strait as a strong western boundary current. Nonetheless, its origin and the dynamics of its initiation are not well understood. The potential origin of the Kuroshio is complicated by a rich spectrum of oceanic processes, e.g., remotely and locally generated eddies. The Kuroshio carries significant mass, heat and energy from the tropics to subtropics and interacts with marginal seas. Therefore it is crucial to understand its origin and dynamics.

RELATED PROJECTS

Study of Kuroshio Intrusion and Transport Using Moorings and EM-APEX Floats (N00014-08-1-0558) as a part of QPE DRI: The primary objectives of this observational program are 1) to quantify and to understand the dynamics of the Kuroshio intrusion and its migration into the southern East China Sea (SECS), 2) to identify the generation mechanisms of the Cold Dome often found on the SECS, 3) to quantify the internal tidal energy flux and budgets on the SECS and study the effects of the Kuroshio front on the internal tidal energy flux, 4) to quantify NLIWs and provide statistical properties of NLIWs in the SECS, and 5) to provide our results to acoustic investigators to assess the uncertainty in acoustic predictions. Results of the NLIWI DRI will provide a better understanding of the dynamics of NLIWs that have strong effects on acoustic propagation and sonar performance.

<u>Process Study of Oceanic Responses to Typhoons Using Arrays of EM-APEX Floats and Moorings (N00014-08-1-0560) as a part of ITOP DRI</u>: We study the dynamics of the oceanic response to and recovery from tropical cyclones in the western Pacific using long-term mooring observations and an array of EM-APEX floats. Pacific typhoons may cause cold pools on the continental shelf of the East China Sea. The cold pool dynamics are likely related to the Kuroshio and its intrusion as well as the shelf/slope oceanic processes.